



CERTIFICATE OF CONFORMITY

This is to certify that



Granitgard Termite Management System Including Blockaid-Termi

Product description

Granitgard is a non-toxic Termite Management System consisting of appropriately sized graded stone particles, associated strip shielding and accessories and service penetration collars. Blockaid-Termi is a flexible physical termite Management System combining the properties of acrylic sealant and Bifenthrin Chemical.

Product purpose or use

A perimeter cavity, underslab and penetrations physical termite management system to prevent concealed subterranean termite entry into buildings.

Certificate holder

Termguard Pty Ltd
Unit 9, 145 Arthur St
Homebush West NSW 2140
Ph: 07 5573 4597 Fax: 07 5573 4586
Web: www.termguard.com.au
Email: support@termguard.com.au

CodeMark certification body

SAI Global Certification Services Pty Limited
(ACN 108 716 669) Trading as "SAI Global"
JAS-ANZ Accreditation No. Z1440295AS
Address: 680 George St, Sydney, NSW 2000
Website: www.saiglobal.com

Complies with the Building Code of Australia (BCA) 2015:

Volume One: BP1.1 and BP1.2 (limited only to the actions by termites)
Volume Two: P2.1.1 and QLD P2.1.3 (limited only to the actions by termites)

Subject to the following conditions and limitations:

1. The Granitgard Termite Management System including Blockaid-Termi is to be installed by licensed installers trained and approved by Granitgard Pty Ltd.
2. The Granitgard Termite Management System including Blockaid-Termi is to be installed in accordance with the Granitgard Technical Manual Version 5.5 dated January 2012 and the Blockaid-Termi Installation Manual Version 1.0 dated June 2015.
3. The Granitgard Termite Management System including Blockaid-Termi when used across a perimeter cavity must finish at least 75mm above the surrounding finished ground level except at full height windows and doorways where the inspection zone may be reduced as outlined in the respective installation manual.
4. The Granitgard collars "Termicollar" are to be installed on service pipe penetrations as outlined in the Granitgard installation manual.
5. The Granitgard Termite Management System including Blockaid-Termi has not been assessed to be installed north of the Tropic of Capricorn. Granitgard is not to be installed north of the Tropic of Capricorn as stated in the Granitgard installation manual.
6. The concrete slab must be constructed in accordance with the requirements of AS 2870-2011 Residential slabs and footings.
7. Inspections are undertaken annually in accordance with the Granitgard Technical Manual to determine that no bridging or breaching of the Management System has occurred.

Notes:

- (i) The installation of any termite management system cannot guarantee a 100% protection against infestation by subterranean termites. Thus the installation of a management system does not negate the need for regular competent inspections. Any additions, alterations or earth works, including gardening adjacent to the building, may render the management system ineffective. Such activity should be referred to a licensed installation contractor for appropriate advice and treatment.
- (ii) Any additional treatment should be done in accordance with the relevant State or Territory regulations.

Heather Mahon - Risk and
Compliance Manager APAC

Paul Bailey - Unrestricted
Building Certifier

18/05/2016

Date of issue

26/07/2018

Date of expiry

SAIG-CM20020

Certificate Number



WWW.JAS-ANZ.ORG/REGISTER

- This Certificate of Conformity is issued by an accredited certification body under arrangement with JAS-ANZ. The ABCB does not in any way warrant, guarantee or represent that the Product the subject of this Certificate of Conformity conforms with the BCA, nor accepts any liability arising out of the use of the Product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate
- It is advised to check that this Certificate of Conformity is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the ABCB website, www.abcb.gov.au.